SACAGAWEA DESIGNS

|	
Product Name: VK-1224	
Process: Colossus 8-Color	
Material: Poly Knit 9	
Effective Date: 09/20/13	

NOTE: Graphic files must be @ 150 dpi Finished Size.
DO NOT send Flattened Files. Production can not manipulate
the content, proportion or color of these files.

Backwall Tension Fabric Graphic (Included)

91.00"
90.00"
.75"

1"w x 3/8"h notch
on center of top and bottom and 4 corners

3/8"w x 2.5"h notch
on left and right side

81.75"
80.25"

Approx 39.25"

Add 1/2" bleed to left and right
and 3/4" bleed to top and bottom

.50"

Finished Size: 91"w x 81.75"h
Live Area: 90"w x 80.25"h

Sew 1/2" hook Velcro into front perimeter

NOTE: These dimensions are for graphic layout purposes.
Graphic needs to be cut and test fitted to Sacagawea frame.

SACAGAWEA DESIGNS

Product Name: VK-1224	
Process: Colossus 8-Color	
Material: Poly Knit 9	
Effective Date: 09/20/13	

NOTE: Graphic files must be @ 150 dpi Finished Size.
DO NOT send Flattened Files. Production can not manipulate
the content, proportion or color of these files.

91.00"

11.00"

7.75"

* 22"
Monitor
Approx. Dims
20.5"w x 16"h

Blue Area indicates 3/4" bleed area
around the counter and the monitor

Monitors can be positioned on left or
right side of 10ft unit.

81.75"

56.50"

32.50"

* Counter

6.00"

11.88"

6.00"

* Counter

24.00"

NOTE: When adding Monitors and Counters to the Sacagawea unit, portions of the graphic will be covered.
Please design graphic layout according to suggested locations.
-See Header Graphic Dims for header locations.*****

NOTE: These dimensions are for graphic layout purposes.
Graphic needs to be cut and test fitted to Sacagawea frame.

SACAGAWEA DESIGNS

Product Name:	VK-1224
Process:	Colossus 8-Color/ Direct Print
Material:	1/8" Sintra
Effective Date:	09/20/13

NOTE: Graphic files must be @ 150 dpi Finished Size.
DO NOT send Flattened Files. Production can not manipulate the content, proportion or color of these files.

Header Fabric Graphic

Live Area Curve
Rad: 137.437"
Sweep: 18.203°
Arc Len: 43.6638"

Option #1: Fabric Graphic (Included)

8.48"

9.98"

43.48"

44.98"

Notch

Notch

Finished Size: 44.98"w x 9.98"h
Live Area: 43.48"w x 8.48"h

Add 3/4" bleed around perimeter
Sew 1/2" Velcro into front perimeter

1/4" Direct Print Header Graphic

Live Area Curve
Rad: 137.437"
Sweep: 18.203°
Arc Len: 43.6638"

Option #2: Direct Print Graphic Insert

8.48"

8.98"

43.48"

43.98"

Finished Size: 43.98"w x 8.98"h
Live Area: 43.48"w x 8.48"h

Add 1/4" bleed around perimeter

NOTE: These dimensions are for graphic layout purposes.
Graphic needs to be cut and test fitted to Sacagawea frame.

SACAGAWEA DESIGNS

Product Name: VK-1224	
Process: Direct Print	
Material: 1/4" Sintra or Plex	
Effective Date: 09/20/13	

NOTE: Graphic files must be @ 150 dpi Finished Size.
DO NOT send Flattened Files. Production can not manipulate
the content, proportion or color of these files.

1/4" Round Sign

Ø 18"

91.00"

Round Sign ✱

8.75"

81.75"

Approx 56.50"

NOTE: When using headers with the Sacagawea unit a portion of the graphic will be covered.
Please design graphic layout according to desired header shape and location.✱

NOTE: These dimensions are for graphic layout purposes.
Graphic needs to be cut and test fitted to Sacagawea frame.

SACAGAWEA DESIGNS

Product Name:	VK-1224
Process:	Direct Print
Material:	1/8" Sintra or Plex
Effective Date:	09/20/13

NOTE: Graphic files must be @ 150 dpi Finished Size.
DO NOT send Flattened Files. Production can not manipulate
the content, proportion or color of these files.

A small portion of your graphic(s) may be hidden by monitor and counter. Please use these diagrams to position your graphics correctly.

Convex Wing for P-Series
20' Unit includes (2) Bottom Panels and (2) Upper Panels

40"
7.5"
40"

Rad: 148.2045"
Sweep: 15.658°
Arc Len: 40.5023"

13"

9.75"
6.5"
40"
17.5"

* 22"
Monitor
Approx. Dims
20.5"w x 16"h

16"

6.0"
* Counter

11.88"

40"
32.50"

13"

Mobile products for
extraordinary lives.
palm
palm pré
We innovate.
We create.

NOTE: These dimensions are for graphic layout purposes.
Graphic needs to be cut and test fitted to Sacagawea frame.